4-683

# UNITED STATES DEPARTMENT OF THE INTERIOR GENERAL: LAND OFFICE

Bureau of Land Management

## MINERAL SURVEY NO. 4300

Arizona	Land District.
FIELD NO	OTES
Of The Survey Of The Mi	ning Claim Of
Ida Jane McClarty 3	Johnson, et al
Known As Th	le
RICHMOND	
Salt River	Mining District,
Maricopa County,	Arizona
Section 8 , Township 1 South	1 , Range 3 East
Surveyed under instructions dated Sel	ot. 13 , 1946
by	Harry E. Jones  Mineral Surveyor.
Claim locatedJan. 4	, 1901
Survey commenced Sept. 15	, 1947
Survey completed Nov. 30	, 1947
Address of claimant Phoenix,	Arizona
DATES OF AMENDED L	
U-S, GOVERNMENT PRINTING OFFICE	G—9090

This survey was made with a C.L.Berger & Sons transit No. 7574, with a horizontal limb 4 inches diameter, having two double opposite verniers, and full vertical circle 4 inches diameter, having one double vernier; the verniers read to one minute of arc; the eyepiece is equipped with a colored glass shutter for making direct sun observations The instrument was in good condition and adjustment at the time of this survey.

All azimuths in this record were determined by the method of deflection angles referred to the meridian

determined by the following observation.

Nov. 30, 1947, at Cor. No. 1 of the Richmond lode, in latitude 33°21'27" N. and longitude 112°04'15" W., I make a series of two sets of four each altitude observations upon the sun for azimuth at approximately equal time intervals, two each direct and inverted in each set, observing the limb of the sun and reading the horizontal angle from the reference point, which in this instance is Cor. No. 4 of this survey.

Mean time of observation, 105th meridian standard time

10:15:53 A.M.

Declination of sun at mean time of observation

21°35'48".

Mean observed vertical angle to sun center 27°53'30". Mean horizontal angle from reference line. 55°16'45"L. True bearing reference line S.23°06'37"W.

Mean time of observation, 105th meridian standard time 10:34:44 A.M.

Declination of sun at mean time of observation 21°35'55" Mean observed vertical angle to sun center 29°53'40". Mean horizontal angle from reference line 50°38'45"L. True bearing reference line S.23°03'21"W.
Mean true bearing of reference line S.23°04'59"W.

The lines were measured with a 600 ft. steel tape graduated every foot, and a 50 ft. steel tape graduated to hundredths, both tapes were checked for accuracy prior to use on this survey.

All lines and connections of this survey were run.

directly on the ground.

The mean magnetic variation observed at each corner is 14°40'E.

Feet

### RICHMOND LODE

At Cor. No. 1, a standard 1 inch GLO pipe corner set in the ground and surrounded with a substantial mound of rock, and marked in addition to the GLO markings, R-1-4300; from which

The 4 corner common to Sections 8 and 9, T. 1 S., R. 3 E., G. & S.R.M., bears N.76° 55' E., 1448.69 ft. a standard 1 inch GLO pipe buried in the middle of the road and marked as described in the official record.

No other suitable bearings available.

Thence N. 71° 00' W.

453.40 Intersect the center line of Central Avenue, bearing N. 33° 20' W. and S. 33° 20' E.

Intersect the 4 section line of Section 8, T. 1 S., R. 3 E., at N. 89° 17' E., 355.50 ft. from the center of said section. 918.14

2	• -	BONVET NO. 4,000	
	Feet		
	1294.75	Intersect the 4 section line of Section 8, T. 1 S., R. 3 E., at N. 0° 16' 40" W., 127.06 ft. from the center of said section.	
	1498.25	Cor. No. 2, a standard 1 inch GLO pipe corner set in the ground and surrounded with a substantial mound of rock, and marked in addition to the GLO markings, R-2-4300, from which	
	ai est	A 3/4 inch pipe set by intersection at the center of Section 8, T. 1 S., R. 3 E., bears S. 44° 57' 30" E., 273.18 ft.	
	9572	No other suitable bearings available.	
	154.20x b	Thence S. 23° 05' W.	
	213.90	Intersect the 4 section line of Section 8, T. 1 S., R. 3 E., at S. 89° 17' W., 276.91 ft. from the center of said section.	
	300.50	Lode line; discovery cut bears S. 71° 00' E., 750.0 ft.	
	601.00	Cor. No. 3, a standard 1 inch GLO pipe corner set in the ground and surrounded with a substantial mound of rock, and marked in addition to the GLO markings, R-3-4300.	
		No suitable bearings available.	
	Siego de	Thence S. 71° 00' E.	
	455.96	Intersect the 4 section line of Section 8, T. 1 S., R. 3 E., at S. 0° 16' 40" E., 508.02 ft. from the center of said section.	
	916.03	Intersect the center line of Central Avenue, which bears N. 64° 03' E. and S. 64° 03' W.	
	1498.25	Cor. No. 4, a standard l inch GLO pipe corner set in the ground and surrounded with a substantial mound of rock, and marked in addition to the GLO markings, R-4-4300.	
		No suitable bearings available.	
		Thence N. 23° 05° E.	
	300.50	Lode line; discovery cut bears N. 71° 00' W., 748.25 ft.	
	601.00	Cor. No. 1, and place of beginning.	
	(X)4		
		AREA	
	70.03 - E	Total area, Richmond lode 20.618 Acres. Area in conflict with NE4 and NW4, Sec. 8, T.1 S., R.3 E., 1.420 Acres.	
		LOCATION	
		This survey is located over the center of Section 8, T. 1 S., R. 3 E., Gila and Salt River Meridian, Maricopa County, Arizona.	
	о таба	The survey of the Richmond lode is identical with the amended location as marked on the ground by corners established by a mineral segregation survey, accepted by the General Land Office, April 23, 1934.	

No. 1

No. 2

No. 3

No. 4

No. 5

No. 6

3.

# EXPENDITURES The improvements and the value of the labor and improvements made upon or for the benefit of the lode location embraced in said mining claim by the claimants or their grantors are as follows: The discovery cut 6'xl00'x3', the westerly end of which is the discovery point, is on the lode line at S. 71° 00' E., 750 ft. from the 300.50 ft. point on line 2-3. Value, \$468.75 A shaft 4'x5'x40' deep, bears S. 77° 39' E., 153.5 ft. from the 765 ft. point on the lode line. Value, \$417.00 A pit 5'x7'x3' deep, bears S. 77° 39' E., 201.9 ft. from the 765 ft. point on the lode line. Value, \$50.00 A pit 5'x7'x3' deep, bears S. 76° 00' E., 228 ft. from the 765 ft. point on the lode line. Value, \$50.00 A pit 6'x6'x3' deep, bears S. 73° 53' E., 269 ft. from the 765 ft. point on the lode line. Value, \$50.00 A shaft 4'x4'x6' deep, bears S. 46° 28' E., 57.2 ft. from the 765 ft. point on the lode line. Value, \$50.00

- No. 7 A cut ll'x39'x12' face, the mouth of which bears S. 1° 27' E., 73 ft. from the 765 ft. point on the lode line.
  - A tunnel 3'x4'x20' long, runs northeasterly from the SE. side of the said cut.

    Value of cut and tunnel, \$1465.00
- No. 8 A cut 6'x8'x8' face, the mouth of which bears N. 62° 40' W., 312 ft. from the 300.50 ft. point on line 4-1. Value, \$100.00
- No. 9 A pit 5'x7'x5' deep, bears S. 84° W., 11 ft. from the 1180.39 ft. point on line 1-2.
  Value, \$90.00
- No. 10 A tunnel 3'x4'x20' long, runs southerly, the mouth of which bears S. 6° 53' E., 95.3 ft. from Cor. No. 2. Value, \$125.00

NO OTHER IMPROVEMENTS

### **UNITED STATES** DEPARTMENT OF THE INTERIOR GENERAL-LAND OFFICE

Bureau of Land Management

# FINAL OATHS FOR SURVEYS

### LIST OF NAMES

A list of the names	of the individuals	employed by	Harry E.	Jones,	
Mineral Surveyor, to as	ssist in running, 1	measuring, and n	narking the lin	nes, corners,	and boundaries
described in the foregoin	g field notes of the	e survey of the mi	ning claim of		
	Ida Jane McC	larty Johnson	on, et al		
known as the	RIC	HMOND			
and showing the respecti	ve capacities in wh	ich they acted.			
		J. D.	Roeder,		Chainman.
		C. E.	Wilson,		Chainman.
		Dan F	hillips,		Axman.
					Flagman.
	FINAL OA	THS OF ASS	SISTANTS		
We, J. D. Ro	eder. C. E.	Wilson			
and Dan Phill					
Harry E. Jones					
the boundaries of the min					
known as the					
represented in the forego					
direction; and that said so					
and correctly executed, a					
instructions furnished by	the Office Cauastra	ar Engineer, at	PHOGRALA,	ATIZONA	•
			Does	le,	Chainman.
		Jan	Milly	re,	Chainman.
		624	Viloor	<b>C</b> :,	Axman.
				Ŧ	Flagman.
Subse	cribed and sworn to	o by the above-nar	ned persons bet	fore me this	1900
d	ay of Febr	nary ,	19 48	11	
	/	/	The Z	lowde	ky
My Commission	expires $\frac{7/2}{}$	4/50	Not	ary Publ	ic.

# UNITED STATES DEPARTMENT OF THE INTERIOR

Bureau of Land Management

# FINAL OATH OF MINERAL SURVEYOR

I,, Mineral Surveyor,
do solemnly swear that, in pursuance of instructions received from the Office Cadastral
Engineer, at Phoenix, Arizona , dated Sept. 13, 1946 ,
I have, in strict conformity to the laws of the United States, the official regulations
and instructions thereunder, and the instructions of said Office Cadastral Engineer,
faithfully and correctly executed the survey of the mining claim of
Ida Jane McClarty Johnson, et al , known as the
RICHMOND
situate in Mining District,
Maricopa County, Arizona , in Section
8 , Township No. 1 South , Range No. 3 East G&SRM.
and designated as Survey No. 4300 , as represented
in the foregoing field notes, which accurately show the boundaries of said mining claim
as distinctly marked by monuments on the ground, and described in the attached copy of
the location certificate, which was received by me from the Office Cadastral Engineer
with said instructions, and that all corners of said survey have been established and
perpetuated in strict accordance with the law, official regulations and instructions
thereunder; and I do further solemnly swear that the foregoing are the true and original
field notes of said survey and my report therein, and that the labor expended and im-
provements made upon said mining claim by claimant oritheir_tors
grantors are as therein fully stated, and that the character, extent, location, and
itemized value thereof are specified therein with particularity and full detail, and
that no portion of said labor or improvements so credited to this claim has been included
in the estimate of expenditures upon any other claim.
Hours Surveyor)
Subscribed and sworn to by the said Harry E. Jones.
Mineral Surveyor, before me a Notary Public
this 19th
day of February , 19 48.
My Commission expires 7/24/50. Notary Public.

# CERTIFICATE OF APPROVAL OF FIELD NOTES AND SURVEY OF MINING CLAIM

# UNITED STATES DEPARTMENT OF THE INTERIOR

GENERAL LAND OFFICE
Bureau of Land Management
PUBLIC SURVEY OFFICE

		At Phoenix, Arizona	
		March 1	, 19 48
I, Office Cadas	tral Engineer at Phoenix,	Arizona	•••••
do hereby certify th	nat the foregoing and hereto attac	hed Field Notes and Return of	of the Survey of the
	Ida Jane McClarty Joh		
	RICHMOND		
situate in	Salt River		mining district,
Maricopa	County, State of Ariz	ona	
in Section 8	, Township No. 1	South , Range	No. 3 East
G.&.S.R.Mer.	, designated as Survey No	1300	
executed by	Harry E. Jones		, Mineral
Surveyor, Sept.	15 to Nov. 30	, 1947, under my	instructions dated
September 13	, 1946	, have been critically examined	l and the necessary
corrections and exp	lanations made, and the said Field	Notes and Return, and the Su	rvey they describe,
are hereby approve	d. The certified copy of the locat	ion certificate filed by the app	licant for survey is
on file in this office	and a true copy of said certified	l copy of said location certifica	te is included and
made a part of the	transcript of the field notes.		

Frank M. Chapine.
Office Cadastral Engineer.

6-7181 U. S. GOVERNMENT PRINTING OFFICE



# United States Department of the Interior

9183.1(942) M.S. #4300

6-12-73 DU

### BUREAU OF LAND MANAGEMENT

Arizona State Office 3022 Federal Building Phoenix, Arizona 85025

May 31, 1973

### Memorandum

To

Chief, Branch of Records & Data Management (952)

From

State Director, Arizona

Subject:

Mineral Survey No. 4300

This memorandum cancels the survey of the RICHMOND lode claim of Mineral Survey No. 4300.

The following notation should be made on the plat of Mineral Survey No. 4300:

"Survey of RICHMOND lode claim canceled by State Director's Memorandum dated May 31, 1973."

The plat and field notes should remain in the files. This memorandum should be made a part of the original field notes.

By Secretary's Decision, dated March 7, 1968, Arizona Contest No. 032548, the Richmond lode claim was declared invalid. A portion of the area formerly embraced by this lode is scheduled for disposal to The City of Phoenix under R&PP Application AR 035565.

Acting

cc: Director (420)